



# Huijue Photovoltaic IP55 Outdoor Cabinet

## Lithium battery parameters

Product capacity: 100Ah

Product size: 135\*197\*35mm

Product weight: 1.82kg

Product voltage: 3.2V

internal resistance: within 0.5





## Huijue Photovoltaic IP55 Outdoor Cabinet



### Outdoor Photovoltaic Energy Cabinet

Engineered with reinforced steel enclosure and IP55/IP65 protection class for dust, water, and corrosion resistance in severe climates. Combines high-voltage lithium battery packs, BMS, fire protection, ...

### Huijue's waterproof and rainproof outdoor cabinets easily withstand ...

Huijue's waterproof and rainproof outdoor cabinets offer IP55-IP65 protection, robust materials, and intelligent cooling to ensure reliable operation in harsh outdoor environments such as ...



### Ip65 Ip55 Solar Power Cabinet Waterproof Wind And Photovoltaic

IP65 IP55 Solar Power Cabinet Waterproof Wind and Photovoltaic Integrated Outdoor Cabinet

### Outdoor smart energy cabinet

Outdoor smart energy cabinet HJ-SG-R type: container machine room, large capacity, modular design, this series of products. It can integrate photovoltaic, wind clean energy, energy storage battery, ...



### PSO Outdoor Integrated Cabinet

Designed to withstand extreme temperatures (-40°C to +55°C) and achieve IP55 protection, this all-in-one power hub redefines reliability in outdoor energy systems.



### [Shanghai Huijue Technologies Group Co., Ltd\(Huijue Group\)](#)

High Protection Level IP55 protection rating, C4-level corrosion resistance, and FRP material, offer excellent anti-corrosion performance for harsh outdoor environments



### Energy Storage Equipment, Energy storage solutions, Lithium battery

The Huijue Group Off-Grid Solution comprises three main components: photovoltaic systems, energy storage systems, and off-grid systems, enabling energy self-sufficiency.




### Products - Outdoor Base Station



## Cabinets & Energy Storage ...

Outdoor cabinets from Huijue are engineered to maintain internal stability even under rapidly changing external temperatures, direct solar radiation, or high humidity.





## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:

<https://id2market.eu>

Phone: +34 910 56 87 45

Email: [info@id2market.eu](mailto:info@id2market.eu)

Scan the QR code to access our WhatsApp.

